

SEAL:

THIS DOCUMENT IS NOT
FOR REGULATORY
APPROVAL, PERMITTING,
OR CONSTRUCTION.

MATERIALS SPECIFICATIONS (NOT ALL MATERIALS IN SCHEDULE ARE USED)

CERAMIC TILE
1. TILE: INTERCERAMIC
T-1 --- 16x24 CERAMIC, HABITAT DURABODY, SMOKE
-PATTERN: 1/2 RUNNING BOND IN RESTROOM/ STACKED BOND IN HALLWAY
REF: INTERIOR ELEVATIONS
-GROUT LINE: 3/16"
-THINSET: VERSABOND GRAY THINSET, 50/LB BAG
-GROUT: POLYBLEND SANDED GROUT, #183 CHATEAU, 25/LB BAG
T-2 --- 7x36 CERAMIC, SUNWOOD PRO DURABODY, LEGEND BEIGE
-PATTERN: 1/3 OFFSET RUNNING BOND
-GROUT LINE: 3/16"
-THINSET: VERSABOND GRAY THINSET, 50/LB BAG
-GROUT: CSP POLYBLEND SANDED GROUT, #183 CHATEAU, 25/LB BAG
T-3 --- (ALTERNATE FLOORING) 16x24 CERAMIC, BOSTON, LIGHT GRAY -
(ORDERED BY SQUARE FOOT)
-PATTERN: 1/3 RUNNING BOND
-GROUT LINE: 3/16"
-THINSET: VERSABOND GRAY THINSET, 50/LB BAG
-GROUT: POLYBLEND SANDED GROUT, #540 TRUFFLE, 25/LB BAG
T-5 --- 3x6 COLOR BODY CERAMIC, IC BRITES, ULTRA WHITE
-PATTERN: RUNNING BOND
-GROUT LINE: 1/8"
-THINSET: VERSABOND WHITE THINSET, 58/LB BAG
-GROUT: POLYBLEND DRY GROUT UNSANDED, WHITE, 25/LB BAG
-PROVIDE BULLNOSE TILE EDGE AS SPECIFIED ON ELEVATIONS.

2. TILE BASE:
B-2 --- SCHLUTER - AHKA (FOR USE WITH CONCRETE FLOOR)
-3/8" COVE BASE
-1X6 CORNER
-1X6 OUTSIDE CORNER
-AHKA 125 AE FOR T-1 AND T-2, AHKA 80 AE FOR T-5
B-3 --- SCHLUTER - AHK (FOR USE W/ TILE FLOOR, W/ T-1 & T-2 WALLS)
-3/8" COVE BASE
-1X6 CORNER
-1X6 OUTSIDE CORNER
-AHK 15 125 AE
B-4 --- IC BRITES / U. WHITE (FOR USE W/ TILE FLOOR, W/ T-5 WALLS)
-6X6 - 3/8" COVE BASE
-1X6 CORNER
-1X6 OUTSIDE CORNER
3. GALVANIZED COVE BASE: WITH 3/8" RADIUS
B-5 --- SMOOTH PEBBLE TEXTURE 4" COVE BASE AROUND INTERIOR PERIMETER OF WALK-IN COOLER UNITS
NOTE:
1. VERIFY WITH AHJ SCHLUTER COVE TRANSITION IS ALLOWED, USE CERAMIC COVE BASE AS REQ'D. BY AHJ (TO BE APPROVED BY 7-ELEVEN).
2. VERIFY WITH AHJ VINYL BASE (B-1) IS ALLOWED, USE ALT BASE AS REQ'D BY AHJ.

3. GALVANIZED COVE BASE: WITH 3/8" RADIUS
B-5 --- SMOOTH PEBBLE TEXTURE 4" COVE BASE AROUND INTERIOR PERIMETER OF WALK-IN COOLER UNITS
NOTE:
1. VERIFY WITH AHJ SCHLUTER COVE TRANSITION IS ALLOWED, USE CERAMIC COVE BASE AS REQ'D. BY AHJ (TO BE APPROVED BY 7-ELEVEN).
2. VERIFY WITH AHJ VINYL BASE (B-1) IS ALLOWED, USE ALT BASE AS REQ'D BY AHJ.
RETAIL INFORMATION SYSTEM (RIS) BACKBOARD
1. BACKBOARD SHALL BE BY U-TECK, MODEL 5010B2J-BTK. REFERENCE SHEET AS.2, DETAIL 5 FOR LOCATION
CONTACT: DEBRA WOLFE _ TEL. (800) 542-7011
METAL STUDS
1. CLARKDIEHRICH METAL STUD
ICC# - ESR 1166P, IAPMO# - ES-0189
WALL COVERING
1. FRP WALL PANELS
FRP-1 --- WALL PANELS
- MANUFACTURER: MARLITE
- COLOR: P-100 (WHITE)
- FINISH: SMOOTH GLOSS, PEBBLE FINISH
- FIRE CLASSIFICATION: TYPE C
- FLAME SPREAD: <200
- SMOKE DENSITY: <450
- LIGHT RV: 83.00
- NOTE: APPLY WITH MARLITE C-375 CONSTRUCTION ADHESIVE
MOLDING AT ALL INSIDE CORNERS, AND "J" MOLDING WHERE WALL PANEL TERMINATES. ALL MOLDING SHALL BE FULL HEIGHT OF WALL FROM TOP OF WALL BASE.
2. WALK-IN COOLER UNIT WALLS:
INTERIOR: SMOOTH PEBBLE TEXTURE GALVANIZED SKIN
EXTERIOR: T-5 TO 9'-4" THEN PAINTED GYPSUM BOARD ABOVE. (SEE INTERIOR ELEVATIONS FOR LOCATION OF WALL TILES T-5)
CORNER GUARDS
1. CORNER GUARDS:
CG-1 --- GENERAL: USED WITH FRP-1
- MANUFACTURER: MARLITE
- MODEL: FRP CORNER GUARDS AND MOLDING
- SIZE: 1-1/2" X 1-1/2" X 120"
- COLOR P-100 (WHITE)
- PROVIDE FULL HEIGHT CORNER GUARDS AND "J" MOLDING
- AT ALL OUTSIDE CORNERS AND JOINTS. TRIM "J" MOLDING AND CORNER GUARDS FLUSH AT TOP OF WALL BASE.
CG-2 --- GENERAL: PROVIDED BY GC
- MANUFACTURER: SCHLUTER
- MODEL: ROUND
- FINISH: SATIN ANODIZED ALUMINUM, RO 125 AE

TO THE OUTSIDE OF THE WALL
3. LP TYPE 3 --- FOR USE WHEN THERE IS AN OBSTRUCTION (IE CORNICE, ETC) ON THE OUTSIDE OF THE WALL
CONTACT MICHELE ORAS AT LADDERPORT
PHONE: 1-800-778-8851 OR 1-248-437-7100 (DIRECT)
EMAIL: MICHELE@LADDERPORT.COM
2. INTERIOR:
ROOF HATCH (OPTIONAL)
30" X 36" PREASSEMBLED SINGLE-LEAF INSULATED PAINT-BOND ROOF SCUTILE EQUAL TO BILCO TYPE S ROOF HATCH. PROVIDE INTERIOR PAILLOCK; GIVE KEYS TO CONSTRUCTION PROJECT MANAGER. ROOF HATCH GRID BAR AVAILABLE THROUGH LADDERPORT SHALL BE INSTALLED.
CONTACT MICHELE ORAS AT LADDERPORT - PHONE: 1-800-778-8851 OR 1-248-437-7100 (DIRECT) - EMAIL: MICHELE@LADDERPORT.COM
3M SUN CONTROL WINDOW FILMS
CONTACT: SHAWN CABRAL @ GENERAL DISTRIBUTING (941) 922-5268 (OFFICE) (941) 358-7585 (CELL) SCABRAL@CENTRISDISTRIBUTING.COM (EMAIL)
1. FILM: 3M PRESTIGE 70 SOLAR FILM
2. SOLAR FILM FOR STOREFRONT GLASS IN STORES WITH EAST, SOUTH AND WEST FACING ORIENTATIONS NOT BLOCKED BY EXISTING BUILDINGS. DO NOT INSTALL ON STOREFRONT DOORS.
3. INSTALL AT INTERIOR OF GLASS FULL HEIGHT AND PRIOR TO INSTALLATION OF ALL OTHER SPECIFIED FILMS AND DECALS.
4. CLEAN WITH NON-ABRASIVE COMMON COMMERCIAL CLEANING SOLUTIONS.
5. DO NOT PLACE AND REMOVE DECALS ON FILM.
WINDOW FILM
FROSTED WINDOW FILM (FILLER PANEL)
TWO FILM INSTALLATION: FILMS TO BE INSTALLED ON THE INTERIOR FIRST FILM: "3M - SILVER P18" UV REFLECTIVE FILM SECOND FILM: "3M - 3635-208" BLOCKOUT REFERENCE SHEET EF-1 FOR LOCATION AS REQUIRED
ROLL-A-SHADE WINDOW GLARE PROTECTION
1. INSIDE MOUNT IS STANDARD. OUTSIDE MOUNT ONLY IF INSIDE MOUNT IS DISRUPTED BY SIGNAGE, ETC.
2. FABRIC WILL BE MERMET 7510 CHARCOAL COCOA 10% WITH BRONZE 3" TOP FASCIA AND STAINLESS STEEL CHAIN - BRONZE CHILD SAFETY TENSION DEVICE.
3. ROLL-A-SHADE TECHS WILL MEASURE AND INSTALL.
CONTACT: JENEVIE ABOUBAKARE - Jenevie.Aboubakare@RollAShade.com (951) 245-5877 X141
TOILET PAPER DISPENSER
B-2892 SURFACE MOUNTED TWIN JUMBO ROLL TOILET TISSUE DISPENSER
MUELLER GATES (COR-B)
1. GATES SHALL BE BY MUELLER DOOR COMPANY
CONTACT: SUZANNE HITTLE TEL. (800) 886-2282
2. INSTALL BOLLARDS FOR GATES. GATE MANUFACTURER'S INSTRUCTIONS.
3. G.C. TO VERIFY AND CONFIRM GATE HOLE HOLES FROM GRADE, CENTER TO CENTER DIMENSIONS AND BOLLARD SIDE DIAMETER AND COMMUNICATE DIMENSIONS TO MUELLER FOR FABRICATION OF GATES.
ALLOW 14 BUSINESS DAYS AFTER SUBMITTAL OF CONFIRMED BOLLARD DIMENSIONS FOR FABRICATION AND DELIVERY OF GATES.
COUNTERTOP SALE LOCATIONS
1. AT POINT OF SALE LOCATIONS
- WILSONARC COSMIC STRANZ
- MATTE FINISH 4941K-60
2. AT COFFEE BAR LOCATION
- SILESTONE ALPHA WHITE
3. AT BEVERAGE BAR AND FRONT COUNTER HOT FOOD SECTION
- STAINLESS STEEL

ROOM FINISH SCHEDULE table with columns: ROOM NUMBER, ROOM NAME, FLOORS, BASE, WALLS, CEILING, COMMENTS

NOTE: REF INTERIOR ELEVATIONS FOR WALL FINISH LOCATION

INTERIOR MATERIALS SCHEDULE and EXTERIOR MATERIALS SCHEDULE tables with columns: NO., MATERIAL, MANUF.-COLOR

INTERIOR BUILDING PAINTING SCHEDULE (NOT ALL MATERIALS IN SCHEDULE ARE USED) table with columns: #, APPLICATION, COLOR, SHERWIN WILLIAMS #, PAINT DESCRIPTION, REPAINT PRIMER, NEW CONSTRUCTION PRIMER, JURISDICTIONAL EXCEPTIONS, REMARKS

INTERIOR BUILDING PAINTING SCHEDULE (NOT ALL MATERIALS IN SCHEDULE ARE USED) table with columns: #, APPLICATION, COLOR, SHERWIN WILLIAMS #, PAINT DESCRIPTION, REPAINT PRIMER, NEW CONSTRUCTION PRIMER, JURISDICTIONAL EXCEPTIONS, REMARKS

NO DATE REMARKS
REVISIONS



BID SET
APRIL 03, 2019

7-ELEVEN
STORE #38684

SR 60 E. & S BUCK MOORE RD.
LAKE WALES, FL
33898

PROJECT NO: 2018.0616
DATE: DECEMBER 7, 2018

A3.0
ROOM FINISH AND
MATERIAL SCHEDULES

CHECKED: RW DRAWN: JUM