



- KEY NOTES:**
- FACTORY INSTALLED SMOKE DETECTORS IN MAIN SUPPLY AND RETURN OF EACH ROOFTOP UNIT
 - INSTALL ROOF MOUNTED EXHAUST FAN PER DETAIL ON SHEET M2. COORDINATE EXACT LOCATION OF FAN PENETRATION WITH ARCHITECTURAL ROOF PLAN. TRANSITION GALVANIZED DUCTWORK AS NECESSARY FROM FAN INTO CEILING JOIST SPACE. SEE SHEET M1 FOR CONTINUATION.
 - PROVIDE FLEXIBLE CONNECTIONS BETWEEN ALL DUCTWORK AND MECHANICAL UNITS.
 - ROUTE SCH. 40 PVC CONDENSATE DRAIN PIPING ALONG ROOF. SUPPORT PIPING PER DETAIL ON SHEET M2.
 - MAINTAIN A MINIMUM 10' CLEARANCE BETWEEN OUTSIDE AIR INTAKES AND EXHAUST TERMINATIONS ON ROOF.
 - FOOD SERVICE REFRIGERATION EQUIPMENT PROVIDED BY OTHERS.
 - FOOD SERVICE REFRIGERATION EQUIPMENT MOUNTED ON ROOF. ENGINEERED RACK. REFER TO CONDENSING UNIT SIZING AND DETAIL ON ARCHITECTURAL SHEETS FOR SUPPLEMENTAL INFORMATION.
 - FOR SPECIFIC WIND LOADING REQUIREMENTS NOT TO EXCEED 150 MPH SEE STRUCTURAL DRAWING.
- SHEET GENERAL NOTE:**
- A. MANUFACTURER RESPONSES TO WIND LOADS PLUS CLIPS ON ALL RTUS. TO BE DELIVERED TO SITE IN SEPARATE PACKAGE.

1 HVAC ROOF PLAN

Order Plans @



Cuhaci & Peterson
 Engineers Planners
 Architects
 1925 Troughneck Avenue Orlando, FL 32814
 Phone: 407-651-1111 Fax: 407-651-1111 www.cpa.com

CLIENT NAME
WAWA
 260 WEST BALTIMORE PIKE
 WAWA, PENNSYLVANIA 19053

PROJECT NAME
WAWA F110L 2018.01 STORE #5337 - MRC
 SE MARICAMP RD. & SE 24th ST.
 OCALA, FL

SHEET TITLE
HVAC ROOF PLAN

Revision Schedule	
No.	Description
1	PRELIMINARY
2	REVISED
3	REVISED
4	REVISED
5	REVISED
6	REVISED
7	REVISED
8	REVISED
9	REVISED
10	REVISED
11	REVISED
12	REVISED
13	REVISED

PROJECT NO.
 211020

DATE
 08/04/2017

DRAWN BY
 JPK

CHECKED BY
 JLD