

**MEZZANINE LEVEL  
NEW WORK FLOOR PATTERN PLAN**  
SCALE: 1/8" = 1'-0"

**GENERAL NOTES:**

- THE GENERAL CONTRACTOR SHALL FIELD VERIFY (F.V.) DIMENSIONS, EXIST. CONDITIONS, ETC. & INFORM THE ARCHITECT OF ANY DISCREPANCIES OR UNUSUAL CONDITIONS ENCOUNTERED IN THE FIELD.
- ALL REDUCER STRIPS TO BE INSTALLED WITH EPOXY ADHESIVE.
- IN AREAS WHERE NEW EPOXY FLOORS WILL BE INSTALLED, PATCH AND PREP EXISTING SURFACES AS RECOMMENDED BY THE MANUFACTURER & AS APPROVED BY THE HARRIS TEETER PROJECT MANAGER.
- THE FLOOR SLAB SHALL SLOPE 1/8" PER FOOT TO DRAIN, NOT TO EXCEED 1" BELOW FINISH FLOOR, IN ALL AREAS WHERE FLOOR DRAINING OCCURS (SEE PLUMBING DRAWINGS). PRIOR TO INSTALLING NEW SLABS OR EPOXY, S.G. VERIFY EXIST. CONDITIONS & NOTIFY ARCHITECT IF MODIFICATIONS TO DRAWINGS ARE REQUIRED TO ACHIEVE MINIMUM SLOPES.
- FLOORING CONTRACTOR SHALL PROVIDE AN 8"X8"X1/8" STAINLESS STEEL COVER PLATE AT ALL FLOOR CLEANOUTS LOCATED IN VCT. PLATE SHALL BE INSTALLED FLUSH W/ VCT FLOOR, CENTERED OVER THE CLEANOUT. FASTEN TO CONCRETE FLOOR W/ PLASTIC ANCHORS & STAINLESS STEEL SCREWS. COORD. LOCATIONS W/ PLUMBING DINGS SHEET P21.
- FLOORING CONTRACTOR SHALL PROVIDE 18" SQUARE STAINLESS STEEL COVER PLATES AT ALL ELECTRICAL DUCT JUNCTION BOXES LOCATED IN VCT. PLATE SHALL BE 2" SQUARE & 1/8" THICK. LENGTH SHALL BE THE DIAMETER OF THE FACTORY SUPPLIED DUCT. STAINLESS STEEL SCREWS SHALL BE 1/4" DIA. & 1 1/2" LONG. COORD. QUANTITY, SIZE & LOCATION ELECTRICAL DRAWINGS SHEET E31. PROVIDE REPAIRS TO EXISTING CONCREAT AT EXISTING LOCATIONS AS REQUIRED TO PROVIDE A SMOOTH AND LEVEL SURFACE FOR NEW VCT.
- SEPARATION DRAWINGS FOR RAIL BOX LOCATIONS & PLUMBING DRAWINGS FOR FLOOR DRAIN LOCATIONS.

**KEY NOTES:**

- EXIST. 2ND TREATED HOOD BASE TO BE RE-PAINTED HIGH GLOSS YELLOW TYPICAL.
- CLEAN EXISTING FLOORING TO REMAIN TYPICAL; REMOVE/REPLACE DAMAGED FLOORING AS DIRECTED BY THE HARRIS TEETER PROJECT MANAGER (MTH).
- NEW CARPET TILE TO BE INSTALLED AT END OF PROJECT. PROVIDE UNDERLAYMENT AT VESTIBULE CARPET AS APPROVED BY CARPET MANUFACTURER & HARRIS TEETER TO PROVIDE FLUSH TRANSITION BETWEEN CARPET & CERAMIC TILE. COORD. SECTIONS W/ THE H.T.M.
- PROVIDE SEPARATE LINE ITEM PRICING FOR INSTALLATION OF NEW BRICK PAVERS; SEE DETAIL ON SHEET A13.
- EXISTING STAINLESS STEEL CART BUMPERS & RAILS TO BE CLEANED & POLISHED BY THE H.T. NATIONAL ACCENT STAINLESS STEEL VENDOR; SEE CONTACT INFO ON SHEET C10.
- ALTERNATE DIRECTION OF CARPET MATS 1/4" TURN AS INDICATED. PROVIDE NEW VINYL HALL BASE WHERE CARPET MEETS THE HALL; SEE FINISH SCHEDULE ON SHEET A31.
- NEW STAINLESS STEEL CART RAIL BUMPERS & CART STORAGE RAILS AS INDICATED; SEE PLAN & DETAILS ON SHEET A13.
- NEW CONCRETE PAD AT TRUCK DOCK AND TO APPROX. EXTENTS SHOWN. FIELD VERIFY AND COORDINATE EXACT LIMITS WITH STRUCTURAL DRAWINGS & THE H.T. PROJECT MANAGER.
- 4" WIDE BY 65'-0" LONG PAINTED LINES ON TRUCK ACCESS PAD AS INDICATED. PAINT: TRAFFIC YELLOW.
- POPER MASH/CLEAN EXISTING SIDEWALK TO REMAIN TO BE PERFORMED AT END OF PROJECT; COORD. W/ H.T.M.
- NEW EPOXY COATING OVER EXISTING EPOXY; SEE GENERAL NOTE "C" ABOVE & EPOXY RE-COAT NOTES ON FINISH SCHEDULE SHEET A31.
- INSTALL NEW STAINLESS STEEL TRIM/ROCK PLATE ON THE BACKSIDE OF CAGES & CALL TO NEW EPOXY FLOOR.
- PREP & RE-PAIN (YELLOW) EXIST. PALLET DROP LOCATION; COORD. EXACT SIZE & LOCATION W/ H.T.M.
- PROVIDE NEW 4" EPOXY BASE AT PREP AREA, COOLER HALLS, AND ICE MACHINE LOCATED AT EPOXY FLOORING; SEE DETAILS ON SHEET A13.
- THIN SET QUARRY TILE UNDER HOODS AS INDICATED; RAMP NEW EPOXY FLOORING UP TO FLUSH W/ NEW QUARRY TILE.
- NEW EPOXY COATING OVER EXISTING CONCRETE FLOOR; PATCH & PREP EXIST. FLOOR PER MANUFACTURER'S INSTRUCTIONS.
- NEW EPOXY COVERED "CURB"; SEE SHEET A13 & STRUCTURAL DRAWINGS FOR ADDITIONAL DETAILS.
- EXTENTS OF NEW NON-SLIP VCT ARE TO BE FIELD VERIFIED TO BE COMPLETELY UNDER NEW CARRY CASES AS INDICATED; COORD. W/ THE H.T. PROJECT MANAGER.
- REPLACE DAMAGED/BROKEN CERAMIC TILES THROUGHOUT VESTIBULE TO MATCH EXISTING; COORD. W/ THE HARRIS TEETER PROJECT MANAGER.
- REPAIR/REPLACE ENTIRE "DIAMOND" PATTERN WHEN MAKING REPAIRS TO ENSURE COLOR MATCH; COORD. W/ THE H.T. PROJECT MANAGER.
- EXISTING DOCK LEVELER TO REMAIN SERVICE & CLEAN DOCK LEVELER FIT AS RECOMMENDED BY MANUFACTURER; COORD. W/ THE H.T. PROJECT MANAGER.
- PATCH, PREP, & REPAINT EXISTING FLOOR STAIRS AT TRASH COMPACTOR AREA TO MATCH EXISTING.
- NEW EPOXY COVERED CONCRETE CURB & PAD AT EXISTING ICE MAKER; SEE DETAILS ON SHEET A13.

**FLOOR FINISH NOTES**

1. QUARRY TILE	GT-1
2. EPOXY	EP-1
3. CARPET TILE	CPT-1
4. VINYL COMPOSITION TILE (NON-SLIP)	VCT-1

**TRANSITION DETAILS**

**TRANSITION DETAILS**

**TRANSITION DETAILS**


**TRANSITION DETAILS**

**TRANSITION DETAILS**

**TRANSITION DETAILS**

**TRANSITION DETAILS**

**TRANSITION DETAILS**




**NEW WORK FLOOR PATTERN PLAN**  
SCALE: 1/8" = 1'-0"

Design and Construction Documents are the property of Bondurant Associates, Inc. No part of this design or construction shall be reproduced, stored in a retrieval system, or transmitted in any form or by any means without the written permission of Bondurant Associates.

Date: SEPTEMBER 10, 2019 Job No. 1922

Revisions:

No.	Date	By	Check	Notes



Project: **HARRIS TEETER STORE #289 - REMODEL**  
2603 GLENWOOD AVENUE, SUITE 101  
RALEIGH, NC 27608

The **NEW WORK FLOOR PATTERN PLAN**