



GENERAL NOTES

- ALL DIMENSIONS SHOWN ARE BASED ON ARCHITECTURAL FIXTURE PLAN.
- DUE TO FIELD CONDITIONS, FLOOR PLAN REVISIONS AND FIXTURE CHANGES, THIS PLAN IS FOR COORDINATION ONLY AND NOT AN ACTUAL CONSTRUCTION DOCUMENT.
- ALL FINAL LOCATIONS OF DRAINS AND STUB UPS SHALL BE COORDINATED WITH FINAL FIXTURE LAYOUT AND REVIEWED BY OWNER'S FIELD REPRESENTATIVE, REFRIGERATION CONTRACTOR, AND ARCHITECT PRIOR TO THE INSTALLATION.
- PLUMBING CONTRACTOR SHALL INCLUDE IN HIS BID, AN ALTERNATE PRICE FOR THE RELOCATION OF ANY DRAINS OR STUB UPS DUE TO CHANGES WHILE UNDER CONSTRUCTION. THIS ALTERNATE SHALL BE FOR ALL WORK INCLUDING CUTTING SLAB, RELOCATING THE DRAIN OR STUB UPS, MODIFYING PIPING, BACKFILL AND PATCHING AND ALL OTHER WORK TO COMPLETE RELOCATION. ALTERNATE PRICE SHALL BE GIVEN AS A PRICE PER LINEAR FOOT. NO ADDITIONAL COSTS WILL BE CONSIDERED.
- SET DRAIN ELEVATION DEPRESSED BELOW FINISHED SLAB ELEVATIONS PER ARCHITECTURAL FINISHES.
- ALL HUB DRAINS, CONDENSATE FLOOR DRAINS, AND FLOOR SINKS TO BE ACCESSIBLE FOR MAINTENANCE.
- SET FLOOR DRAIN TRENCH DRAIN GRATES NOT BENEATH SINKS AT SLOPE INDICATED ON STRUCTURAL SLAB DOCUMENTS.

Design and Construction Documents are instruments of service as given in accordance and remain the property of Bondurant Associates, Inc. No part of these construction documents shall be reproduced, stored in a retrieval system, or transmitted in any form or by any means without the written permission of Bondurant Associates, Inc.

Date: SEPTEMBER 10, 2019 Job No. 1922

Revisions:	No.	Date	By	Check

BONDURANT ASSOCIATES
ENGINEERING & ARCHITECTURE
444 CLAYBROOK STREET
PORTSMOUTH, VIRGINIA

BRAND ENGINEERING, INC.
NC LICENSE NO. C-1504
2840 POLO PARKWAY, SUITE 200
MCKEITHAN, VA 23103
PHONE: (804) 794-8588
FAX: (804) 794-8588
EMAIL: brand@brandeng.com

Harris Teeter
Neighborhood Food & Pharmacy

Project: **HARRIS TEETER STORE #289 ~ REMODEL**
2603 GLENWOOD AVENUE, SUITE 101
RALEIGH, NC 27608
Title: **PLUMBING DIMENSION PLAN**

PLUMBING DIMENSION PLAN
SCALE: 1/8"=1'-0"
N

Professional Engineer Seal for John S. Parker, License No. 027092, dated 9/10/19.

NOTE: THIS DOCUMENT MAY HAVE BEEN ELECTRONICALLY TRANSMITTED. IF UNSIGNED, IT CANNOT BE FILED FOR PUBLIC RECORD. PUBLIC RECORD FILINGS REQUIRE SIGNED AND SEALED DOCUMENTS.