

Order Plans @


Set: 1.0 Doors: X101 Description: EXT LOBBY - ALUM	PE	Set: 2.0 Doors: X118, X120, X127 Description: EXT PR - MEP	US32D MK
1 Continuous Hinge KCFMOX-HD1	US32D SA	6 Hinge TA2314 NRP 4-1/2" x 4-1/2"	US32D MK
1 Exit Device (storeroom) 72 AD8504 Less Pull	626 BE	1 Surface Bolt 988	US26D SA
1 Core By owner	EN SA	1 Dormitory Lock 72 8225 LNP	626 BE
1 Door Closer 351 CPS	EN SA	1 Core By owner	EN SA
1 Threshold 271A MSES25SS	PE	1 Door Closer 351 CPS	EN SA
1 Gasketing by door / frame mfg	PE	1 Threshold 271A MSES25SS	SS PE
Notes: Hardware listed for design criteria, confirm with specific door manufacturer the hardware requirements to meet specified windstorm rating - Provide 3rd party test results for confirmation.		1 Rain Guard 346C x LAR	PE
		1 Sweep 345AV	PE
		1 Astragal 357SP x S88D	PE
		Notes: Hardware listed for design criteria, confirm with specific door manufacturer the hardware requirements to meet specified windstorm rating - Provide 3rd party test results for confirmation.	
		Set: 3.0 Doors: X115, X128 Description: EXT - STAIR	US32D MK
		1 Hinge TA2314 NRP 4-1/2" x 4-1/2"	US32D MK
		1 Rim Exit Device, Exit Only WS 8810 EO	US32D SA
		1 Door Closer 351 CPS	EN SA
		1 Kick Plate K1050 10" X 2" LDW 4BE CSK	US32D RO
		1 Threshold 271A MSES25SS	PE
		1 Gasketing 303AS	PE
		1 Rain Guard 346C x LAR	PE
		1 Sweep 345AV	PE
		Notes: Hardware listed for design criteria, confirm with specific door manufacturer the hardware requirements to meet specified windstorm rating - Provide 3rd party test results for confirmation.	
		Set: 4.0 Doors: X118 Description: EXT - ELEC	US32D MK
		3 Hinge TA2314 NRP 4-1/2" x 4-1/2"	US32D MK
		1 Exit Device (storeroom) 72 WS 8804 ETP	US32D SA
		1 Core By owner	EN SA
		1 Door Closer 351 CPS	EN SA
		1 Threshold 271A MSES25SS	PE
		1 Gasketing 303AS	PE
		1 Rain Guard 346C x LAR	PE
		1 Sweep 345AV	PE
		Notes: Hardware listed for design criteria, confirm with specific door manufacturer the hardware requirements to meet specified windstorm rating - Provide 3rd party test results for confirmation.	
		Set: 5.0 Doors: X110, X122 Description: EXT - BAY / FITNESS - EAC	US32D MK
		2 Hinge TA2314 NRP 4-1/2" x 4-1/2"	US32D MK
		1 Hinge TA2314 QC10 4-1/2" x 4-1/2"	US32D MK
		1 Exit Device (storeroom) 55 56 72 WS 8804 ETP	US32D SA
		1 Core By owner	626 BE
		1 Door Closer 351 CPS	EN SA
		1 Kick Plate K1050 10" X 2" LDW 4BE CSK	US32D RO
		1 Threshold 271A MSES25SS	PE
		1 Gasketing 303AS	PE
		1 Rain Guard 346C x LAR	PE
		1 Sweep 345AV	PE
		1 ElectroLynx Harness QC-C1500 (PS to hinge)	MK
		1 ElectroLynx Harness QC-CXXP (Lock / exit to hinge)	MK
		1 Card Reader SE RP40 / SE RP15 as req	SU
		1 Position Switch DPS-MW-WH (as required)	SU
		1 Power Supply BPS-Series (Volt & Amp as req)	SU
		Notes: Hardware listed for design criteria, confirm with specific door manufacturer the hardware requirements to meet specified windstorm rating - Provide 3rd party test results for confirmation.	
		Door normally closed and secured.	
		Authorized credential retracts the latchbolt to allow free entry, door relocks upon closing.	
		REX (request to exit) switch in device rail allow for free exit at all times	
		Entry by key override at all times	
		Door is fail secure	

Set: 6.0 Doors: X119 Description: EXT STOR	US3D	Set: 7.0 Doors: X223 Description: EXT - SCREEN PORCH - EAC	US32D MK
3 Hinge TA2314 NRP 4-1/2" x 4-1/2"	US3D	2 Hinge TA2314 NRP 4-1/2" x 4-1/2"	US32D MK
1 Dormitory Lock 72 8225 LNP	US26D SA	1 Hinge TA2314 QC10 4-1/2" x 4-1/2"	US32D MK
1 Core By owner	626 BE	1 Kick Plate K1050 10" X 2" LDW 4BE CSK	US26D SA
1 Door Closer 351 CPS	EN SA	1 Fall Secure Lock By owner	626 BE
1 Threshold 271A MSES25SS	PE	1 Door Closer 351 Reg / PA	EN SA
1 Gasketing S88D	PE	1 Door Stop K1050 10" X 2" LDW 4BE CSK	US26D RO
1 Rain Guard 346C x LAR	PE	1 Kick Plate 481H	US26D RO
1 Sweep 345AV	PE	1 Threshold 271A MSES25SS	PE
Notes: Hardware listed for design criteria, confirm with specific door manufacturer the hardware requirements to meet specified windstorm rating - Provide 3rd party test results for confirmation.		1 Gasketing 303AS	PE
		1 Sweep 315CN	PE
		1 ElectroLynx Harness QC-C1500 (PS to hinge)	MK
		1 ElectroLynx Harness QC-CXXP (Lock / exit to hinge)	MK
		1 Card Reader SE RP40 / SE RP15 as req	SU
		1 Position Switch DPS-MW-WH (as required)	SU
		1 Power Supply BPS-Series (Volt & Amp as req)	SU
		Notes: Hardware listed for design criteria, confirm with specific door manufacturer the hardware requirements to meet specified windstorm rating - Provide 3rd party test results for confirmation.	
		Presenting a valid credential releases the lever to allow free entry, door relocks upon closing.	
		REX (request to exit) switch in device rail allow for free exit at all times	
		Entry by key override at all times	
		Door is fail secure	

Set: 12.0 Doors: 123, 124, 125, 126 Description: SGL - GEAR ROOM / BAYS	US26D MK	Set: 13.0 Doors: 101 Not used	
3 Hinge (heavy weight) 14A3786 4-1/2" x 4-1/2"	US26D MK	Set: 14.0 Doors: 101 Description: SGL - LOBBY - EAC	US26D MK
1 Passage Latch 8215 LNP	US26D SA	2 Hinge TA2714 4-1/2" x 4-1/2"	US26D MK
1 Door Closer 351 PS	EN SA	1 Hinge (Elec) TA2714 QCXX 4-1/2" x 4-1/2"	US26D MK
1 Kick Plate K1050 10" X 2" LDW 4BE CSK	US32D RO	1 Rim Exit Device, Storeroom 55 56 72 8804 ETP	US32D SA
1 Threshold 271A MSES25SS	PE	1 Core By owner	626 BE
1 Gasketing 303AS	PE	1 Door Closer 351 Reg / PA	EN SA
1 Sweep 315CN	PE	1 Kick Plate K1050 10" X 2" LDW 4BE CSK	US26D RO
		1 Door Stop 409 / 446 as required	US26D RO
		3 Silencer 608	RO
		1 ElectroLynx Harness QC-C1500 (PS to hinge)	MK
		1 ElectroLynx Harness QC-CXXP (Lock / exit to hinge)	MK
		1 Card Reader SE RP40 / SE RP15 as req	SU
		1 Position Switch DPS-MW-WH (as required)	SU
		1 Power Supply BPS-Series (Volt & Amp as req)	SU
		Notes: Door normally closed and secured.	
		Authorized credential retracts the latchbolt to allow free entry, door relocks upon closing.	
		REX (request to exit) switch in device rail allow for free exit at all times	
		Entry by key override at all times	
		Door is fail secure	

1 Gasketing S88D	PE	Set: 20.0 Doors: 215, 217 Description: SGL - OFFICE	US26D MK
1 ElectroLynx Harness QC-CXXP (Lock / exit to hinge)	MK	3 Hinge TA2714 4-1/2" x 4-1/2"	US26D MK
Notes: Presenting a valid credential releases the lever to allow free entry, door relocks upon closing.		1 Office Lock 72 8205 LNP	US26D SA
REX (request to exit) switch in the lock allow for free exit at all times		1 Core By owner	626 BE
Door is fail secure		1 Door Stop 409 / 446 as required	US26D RO
		3 Silencer 608	RO
		Set: 21.0 Doors: 211, 212, 213, 214, 219, 220, 221, 222, 223, 224 Description: SGL - SUNK	US26D MK
		3 Hinge TA2714 4-1/2" x 4-1/2"	US26D MK
		1 Privacy Lock 49 8265 LNP	US26D SA
		1 Door Stop 409 / 446 as required	US26D RO
		1 Gasketing S88D	PE
		1 Door Bottom STCA11APK36	PE
		Set: 22.0 Doors: 103, 104, 116, 117, 118, 119, 120, 209, 210 Description: SGL - TOILET	US26D MK
		3 Hinge TA2714 4-1/2" x 4-1/2"	US26D MK
		1 Privacy Lock 49 8265 LNP	US26D SA
		1 Kick Plate K1050 4" X 1" LDW 4BE CSK	US32D RO
		1 Door Stop 409 / 446 as required	US26D RO
		1 Gasketing S88D	PE
		Set: 23.0 Doors: 203, 204, 205 Description: SGL - PANTRY	US26D MK
		3 Hinge TA2714 4-1/2" x 4-1/2"	US26D MK
		1 Passage Latch 8215 LNP	US26D SA
		1 Door Stop 409 / 446 as required	US26D RO
		3 Silencer 608	RO
		Set: 24.0 Doors: 115, 228 Description: SGL - LAUNDRY	US26D MK
		3 Hinge (heavy weight) T4A3786 4-1/2" x 4-1/2"	US26D MK
		1 Kick Plate K1050 4" X 1" LDW 4BE CSK	US32D RO
		1 Door Stop 409 / 446 as required	US26D RO
		3 Silencer 608	RO
		Set: 25.0 Doors: X224 Description: EXT - PORCH (SCREEN DOOR)	US26D MK
		1 Hardware All hardware By door mfg	
		Set: 26.0 Doors: X104, X105, X106, X107, X111, X112, X113, X114 Description: FOUR-FOLD DOOR	US26D MK
		1 Hardware All hardware By door mfg	
		Set: 27.0 Doors: 122E, 122F, 122G Description: OVERHEAD COILING DOORS	US26D MK
		1 Hardware All hardware By door mfg	

DOOR HARDWARE SETS



FleischmanGarcia
 ARCHITECTURE • INTERIORS • EXTERIORS
 251 HYPER PARK AVENUE, SUITE 300
 PASADENA, FLORIDA 33409
 PHONE (772) 788-4800
 FAX (772) 775-2800
 REGISTRATION NUMBER AA 000021

**Pasco County
 Fire & Rescue Station
 No. 17
 New Port Richey, Florida**

THIS PERSON AND DRAWING IS THE SOLE PROPERTY OF PASCO COUNTY. IT IS TO BE USED ONLY FOR THE PROJECT AND SITE SPECIFICALLY IDENTIFIED HEREON. IT IS TO BE REPRODUCED WITHOUT THE WRITTEN PERMISSION OF FLEISCHMANGARCIA ARCHITECTURE.

CONSENT TO THE BEST OF MY KNOWLEDGE, THAT THESE DRAWINGS COMPLY WITH ALL RELEVANT BUILDING CODES.

FGA PROJECT NUMBER
19039

ISSUE DATE
05-25-20

REVISIONS
 DATE: -
 DATE: -
 DATE: -

SHEET NUMBER
A4.4